




Потолочный светильник, создающий диффузное освещение. Допускается установка на стену. Рассеиватель ручной работы из выдувного трехслойного опалового стекла. Установочная плата из окрашенного белой матовой краской металла.


Ceiling or wall surface mounted luminaire creates diffused illumination. Diffuser made of hand blown three-layered opal glass. Mounting plate made of metal painted matte white.

IP20 ⊕ **▼ (€ [!!**[

RONDO S 450 WH 140	kg 4,4
Code: 1520000020	
1 × 40 W 2Gx13	0



RONDO S 550 WH 155	[€] 6,0
Code: 1520000010	
1 × 55 W 2Gx13	0









Потолочный светильник, создающий диффузное освещение. Допускается установка на стену. Рассеиватель ручной работы из выдувного трехслойного опалового стекла. Установочная плата из окрашенного белой матовой краской металла.

Ceiling surface mounted luminaire creates diffused illumination. Suitable for wall mounting. Handmade diffuser made of blown three-layered opal glass. Mounting plate made of metal painted mat white.



Name	Code	Power	Socket	Α	В	С	D	Weight
DAPHNE S 350 WH 100	1368000110	1x100W	E27	350	150	20	240	2,30
DAPHNE S 350 WH 260	1368000120	2x60W	E27	350	150	20	240	2,30
DAPHNE S 450 WH 275	1368000130	2x75W	E27	450	180	20	340	4,10
DAPHNE S 550 WH 375	1368000140	3x75W	E27	550	205	20	430	6,10





FAMILY/CEMEЙCTBO





